34]

SUPPLEMENT TO

The Gazette



of **Endia**

NEW DELHI,

SATURDAY, NOVEMBER 25, 1950

OFFICIAL PAPERS

ported attacks and deaths from cholers, small-pox, plague and typhus in districts in India during the week ending the 28th October, 1950.

		Сног	JERA	Вма	LLPOX	Pr.	AGUD		Смотява			SYALL	POK	PLAGUR	
		C,	D,	o.	D,	o.	D _e		•	D.	D	O _s	D.	σ.	D,
	OPP A T	wa p	ARTS (A	A (C	11					Biha	r-eonid	2.			
			····(Urban		••			Hazaribagh		9			1		
_	-	-1	/0.1041	,	•			Ranchi	•	•		2	••		• •
TOTAL	•	• •	••	• •	••			Manbhum		20	7	5	•••		• •
etd, mid-year pop. 9 thousands)	•							Palamau				1		• •	••
tal for w/e 21-10-	80	_		l	1			Singhbhum		6	8			••	
1 for w/e 14-10-	50	***	•		• •	t-di	-	Tozar,	_	149	55	45	7		
marly mean for the week	,					·	_	(Estd. mid-year po	D.		•		•	• •	• •
Mr. 4	•				•		_	37,690 thousand	da)						
•				o				Total for w/e 21-10		140	75	81	5	• •	• •
	•	••	••	2	• •	-	••	Total for w/s 14-10- 7-yearly mean for		198	87	52	9	••	••
nasi & Jaintia		• •						the week.		671	382	10	4	8	8
e Hills	•	_	449				_				Bomba	•			
mipere		5	3	6	2			Bombay	_			•	- 4		
MDLED.		24	17		••		-	Ahmedabad				••		••	••
Franc	•				• •			Kaira					••	••	
#gong			• •	••	٠.		••	Broach				4	1	••	
)anger	•	-10	• •	• •	••	- •	- 4	Panch Mahals .			••				
<u>khimpur</u>	•		••	• •		• •	••	Surat	. :	33	14	••			
diye & Frontier								Thans			••	8	• •		.,
Fracte	•		_			••	_	Bombay-Suburban	,		••	••	• •		••
ro Hills	•	-	••	• •	•	••	••	Ahmednagar .		19	21	22	1		
TOTAL	•	29	20	8	2	•-•	-	Hast Khandesh .	•	9	2	26	7	• •	••
d. mid-year pe								.,	•	• •		••	••		• •
7,611 thousands) 'al for w/e	,							Amreli .	•	• •	••	••	••		••
21-10-50	•	7	8	9	2		••	Nosik .	•		••	2	1	• •	••
tal for w/o 14-10-		***	• •	1	••	••	- •	Poons		95 00	6	- •	- •	••	••
oarly mean fo		19	9	9	3			Satara North	-	09	82	••	• •	1	ı
		F	Bhopal					Satara South		19 95	98 43	••	••	••	• •
TOTAL			•••	1		9	2	Sholapur Sabarkantha	•	-	•	••	••	••	• •
std. mid-year po	D.	_	••	_	• •	•	-	Belgaum .	•	 15	9	••	••	••	••
i thousands)	-							Bijapur .	_	26	57	••	• •	•	• •
tal for w/e 21-10		••		••	• •	••	• •	Dharwar .			••	••	•••		••
tal for w/e 14-10 _'y mean fo	-6U	• •	••	••	••	••	• •	Kanara .			••	•	••		••
o week	•	8	2	***	••	••		Ratnagiri .		••	••	••	••	••	•••
		3	Bihat					Kolaba .			••			••	
٠ ,		44	12	9	1	***	_	Kolhapur .		81	27				
•	•		• •				81.0	Baroda .		••	• •		••	- •	
shabad						••		Navsari .						••	
•	•							Dangs .		••	9.4	• •	• •		
amparan							-	Malwan .	•	••	••	• •	• •	• •	• •
maffarpur	•		••		•	_	••	Mehsana .	•	• •	• •	••	• •		
rbhanga	•					4.4	• •	TOTAL	8	71	304	62	10	1	ı
nghyr		20	7	8	2	••		(Butd. mid-year po	о р.						
agalpur	•	41	17	7	1	••	-	26,071 thousand Total for w/c 21-10	վ ա) Մ.ԾԴ	663	275	8	1		
orea	•		•	• •		• •	••	Total for w/s 14-10		868	304	30	7	2	2
_	•	9	8	7	2	• •	••	7-yearly mean for							
ntal Parganas	•	• •	- •	••	- · ·		••	the week.		122	46	35	Ø	139	47

Explanation of symbols used.:— O=Cesss; D-Deashs.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 28th October, 1950—contd.

									,	Deaths	from :-	-			_		
	Town	ì		Popa .	l-1950 Est. 000)	в.	B.R.*	o.	8.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.4	I.D.
Trav	ancore.	Cochin	ì														
Alleppey Ernakulam Kottayam	:	:	:		68 56 41	ՄՄ 5 6 41	50 · 5 52 · 0 52 · 0	•••		 	 9 1	 2	4 2 	1 1	15 27 17	11·5 25·1 21·6	
Mattanchery Nagercoil Quilon	:	:	: :		66 60 64	30 30 84	$30.7 \\ 26.0 \\ 68.3$		•••	•••	3 8 2	7 4	4 2 2	1 	27 13 17	21·3 11·3 13·8	
Trichur Trivandian	:			:	69 159	63 1 4 7	47·5 48·1	***	•••		2 7		4 10	•••	11 46	8·3 16·3	1 5
	Total			ŧ	883	526	46.9	•••		•••	27	19	28	3	173	15.4	18
4							AI	REAR	RHTU	RNS							
	Bom	bay					For w	e the 1	th Octo	ber, 19	50						
Ahmedabad Ahmednagar Amalner	•		:		854 66 45	923 76 17	56 · 2 59 · 8 19 · 6	•••	***	 	$^{186}_{\ \ 2}_{\ \ 6}$	9	39 2 3	3 1 	361 17 10	21·7 13·3 11·5	
Bandra Baroda City Barsi	• •	:	:	: :	100 188 48	69 244 47	35·8 67·4 58·1	••	•••	***	1 43 9	4 2 1	ა 7 3	 3 2	87 80 2 7	19·2 2 2·1 33 4	
Belgaum Bhusawal Bijapur		•	;		77 44 58	55 48 37	87·1 56·7 33·1	 ,	•••		6 3 4	1 1 6	2 2 	ï 	21 13 17	14·1 15·3 15·2	1
Bombay Brosch Cambay			:	· 1	,796 76 38	1,429 70 33	41·4 47·8 45·1	•••	1 		5 11 10	16 	139 8 	1 	650 30 11	18·8 20·5 15 0	
Dharwar Dhulia Gadag-Betge	ri .		:	•	55 66 66	$\frac{30}{64}$	28·3 30·4 25·6	•••	***	•••	1 9 8	 2 1	5 3 3	•••	12 17 21	11·3 13·3 16·1	1 3
Godhra Hublí Jalgaon		•	:	:	48 107 62	26 59 30	28·1 28·6 23·8	***	***	***	3 1 9	 1 1		 1	5 17 19	5·4 8·2 13·9	9 1
Kalyan Kolhapur Kurla	• •	:	:	:	36 115 4 7	15 92 42	18·8 41·6 46·4	***	 	•••	10 4	 3	1 7 2	•••	6 62 13	8·6 28·0 14·3	 9 6
Melegeon Miraj Nediad		•	:	· ·	41 38 58	38 11 77	48·1 15·0 69·0	 1	***		5 12	1 3 	3 3 	1 	11 11 22	20·6 15·0 19·7	3 1 6
Nasik Navsari Pandharpur	. ,	· •	•		59 46 37	70 50 55	61 • 6 36 • 5 77 • 3	 2	•••		1 9 7	2 8	 5	1 3	26 20 24	22 9 22 6 33 7	2 6 7
Parle Audher Patan Poons	i .			:	58 43 318	40 56 281	35·8 67.7 46·6	•••	•••	•••	3 8 5	 8	3 2 29	1 2	17 19 133	15·2 22·9 22·0	8 4
Sangli Satera Sholapur		:	:	•	80 40 267	29 23 239	38·6 29·9 46·3	 2 	***	•••	2 2 6	5 1 17	2 3 43	1 1	15 21 122	20·0 27·3 23·7	2 6 41
Surat	-				239	242	52.6	•••			16	б	19		76	16.5	15
T.		To	TAL	. 5 ,	,264	4,649	45.9	5	1	***	407	93	353	22	1,963	19.4	553
	Madhya	Bhara	ıt				For w/	e the 14	th Octob	ber, 195	o						
Greater Gwal Indore City Ratlam	lor	• •	•		234 273 52	65 252 40	14·4 48·2 40·0	•••	•••	•••	6 43 9	 1 2	 4 7	1 2 	22 120 28	4 9 22·9 28·0	49 4
Ujjain	•		•		106	74	36 · 3	•••		***	3	3	13	1	56	27 · 5	16
• In ansa		TAL .		, ,	665	431	33·7		***		в1	6	24	4	226	17.7	69

[•] In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :—B.=Births; B. R.=Birth rate; C.=Cholera; S.=Smallpox; P.=Flague; F.= Fevers; D. D. Dysentery and Diarrhoea; R. D. =Respiratory Diseases; M. D. =Maternal Deaths; D. R. =Death rate; I. D. =Infantile Deaths; (included in total deaths).

Births and deaths from principal diseases in thems with a population of over 30,000 in India for the week ending the 28th October, 1950—contd.

						2001	, Quogo.		Deaths							
									DOBUM							
Town				Mid-1 Popn.+] (000	gat. B.	B.R.*	0.	3.	Р.	F.	D .D.	R.D.	М.Д.	Total	D.R.*	LD.
	Madr	8.6					For w/e	the 21st	October,	1950						
Adonit				39	в	8.0	•				1			1	1 3	
Ambur . Anskapalle	:	:	:	35	10	14.9	•••	•••		4	$\overset{\scriptscriptstyle{1}}{2}$	2	•••	20	29.7	5
Aruppukotal	•	•	•	36	23	33 - 2	•••	•	•••	4	2	1	•••	16	23 1	2
Ballary † Canuanore.				35	8	11.9			***	2		l		5	74	2
Chirala† Chittoor				33	25	39 • 4	1			1		1	1	μ	17.3	1
Competore	•	•	:	163	118	37.6		•••	• • •	4	6	9	3	54	$17 \cdot 2$	10
Cuddappah Cuddalore .	•	-	•	34 62	7 35	10 7 29 • 4		•••	•••	$\frac{1}{3}$	 4	1 1	• 2	2 30	25	***
Dindigul	·	•	•	6 a	41	31.4	$\tilde{3}$	•••	•••	3	7	ŝ		44	88 17	, 11
Eluru . Erode .	•	·	:	72 45	30 46	$\frac{21 \cdot 7}{53 \cdot 2}$	••• 9]	•••	2 3	1 4	 4	 1	18 40	() · 4 4() · 2	3 6
Guddiyattam	·	•		40	32	41.6		•••	•••	•••	2	1		8	10 4	3 >
Guntur Kakinada	•	•		101 84	77 7	$\begin{array}{c} {\bf 39 \cdot 7} \\ {\bf 4 \cdot 3} \end{array}$	•••	***	***	ម 1		5 1	1	32 8	16·5 5 0	5 4
Kancheepuram			•	83	26	16.3		•••		1	***	4		14	8.8	2
Karajkudi . Karur	•	•	٠	36 35	17 1 L	24 · 6 16 3			***	1 3	2 	4	•••	9 8	13·0 11·9	1 1
Kozhikode	•	,	÷	152	91	$\bar{3}1$ 1	•••	4	•••	10	1	ថ	1	64	$\bar{2}19$	10
Kumbakonam Kurnool	•	·	:	71 55	18 1 7	$\frac{13 \cdot 2}{16 \cdot 1}$	4	•••	•••	 1	1 	5 3	1	$\frac{23}{11}$	16•9 10• 4	3 5
Madras	÷	•	·	1,013	1,019	52 3	15	7	•••	67	80	222	2	821	42 · 1	211
Mangajora Masulipatnam	•	• •		9 <u>4</u> 61	4 2 5 5	23 2 46 · 9	•••	•••		4 1	1	2		17 13	9·4 11·1	3 2
Mathurai	:		·	292	281	50 · L	18	iï	•••	28	10	64	3	220	39 · 2	49
Mayuram Melapalayam†	٠	•	٠	33 57	8	12·6 7·3	•	•••	•••	 2	2	1 1	***	7	11·0 9 2	2
Nagapatinam Neliore	•	•	•	66	8 93	73 · 3	•••	•••	•••	3	1 2	1	•••	10 36	28 4	1 16
Ooty .	:	•		35	30	44.6	•••	•••		1	2	4 <u>.</u> 8	***	9	$13 \cdot 4$	5
Palam Cottah Palghat	•	:	,	84 61	26 14	39·8 11 9	***	***	•••	1 	2	3	•••	12 11	18 4 0 • 4	3 1
Proddetur	:	:	•	33 30	29	45·7 21 3	2 1	***	***			3		11 27	17 · 3	2
Pudukottai Rajahmundry	•	:	•	85	16 35	21 4		1	••		i i	1		17	86·0 10 4	2 6 *
Rajapalayam	•	•		53 155	34 103	33 4 34 6	***	• • •	***	 g	4 .	$\frac{1}{2}$	•••	$\begin{array}{c} 17 \\ 74 \end{array}$	16·7 24·8	3
Salom . Srivilliputtur	٠			37	17	23.9	•••	•••		,	2	1		9	12 7	10
Tanjore	•	•	•	70 42	5 0	37·2 18·6	4	***		1	6	7 1	•••	49 6	36.4 7 4	8 2
Tellicherry	•	•	•		15		•••	***		•••						
Tenali Tiruchirappalli	:		-	46 175	$\frac{19}{102}$	$\begin{array}{c} 21 \cdot 5 \\ 30 \ 3 \end{array}$		2	•••	• • • • • • • • • • • • • • • • • • • •	12	3 21		6 103	3 0 · 6	3 19
Tirunelveli	•		•	64	30	$24 \cdot 4$	***	***	***	**	3	б		21		8
Tiruppur. Tiruvannamala		•	:	47 39	$^{12}_{11}$	$\begin{array}{cc} 18 & 3 \\ 14 \cdot 7 \end{array}$		***	***	• •	1	1 1		8 4	8.9 5.3	7 4
Tuticorin		:		90	63	36 4			***	4	1	8	•••	44	25.4	16
Vaniyambadı		-		89	7	9.3	1	•••		•••	•••	6		16	21.3	6
Vellore Vijayavada	:	:		$\begin{array}{c} 85 \\ 110 \end{array}$	83 35	$\frac{50}{16 \cdot 5}$		•••	***	3 4	3	8 2	2	44 17	26.2 8.0	1 4 5
Virudunagar				36 82	5 8	83.8	•-•	•••	***	5 5	1 3	-1.		26	37.6	7
Vizagapatnam Vizianagram		•	•	58	63 30	40·0 35·0	•••	•••	•	4	2	2 7	1	$\frac{35}{27}$	$\begin{array}{c} \textbf{20.9} \\ \textbf{24.2} \end{array}$	€ 4 •
-	Тот	A I.		4,410	3,042	35.9	61	26		191	183	457	18	2,128	25 1	5 05
o	ripsa.	tor w/c	Э													
Borhanpur .	•		10-50	49	33	35.1				U		8		Ji	5 16 **	0 i
Ma	idhya	Prade														
Chands .	•	27-5- 24-0-		43	39 36	47·4 43·7		· ·		11 2	20 3	2	• •	_		
**		15-7-	-50	"	62	75·3				11	4	1			3 19.4	
Jabalpur Sagur	•	3-6- 2-9-		$\begin{array}{c} 175 \\ 62 \end{array}$	120 34	35 7 28 5	2 2	13		$\frac{37}{10}$	$\frac{5}{1}$	$\begin{array}{c} 22 \\ 18 \end{array}$		l 110 . 38		
Domoh .	•	2-9	-50	32	27	43 · 3	•••			4		14		20	32 0	, .
Wardba Hinganghat		26-8- 26-8-		37 33	4 ¥ 26	68 · 3 40 · 8				4	· · · 2			15		1 7
~ -	ajasi		90	00	40	20 0	_	••	••	•	~	••	• •	10	_0 0	•
Jaipu	ra jalisi		10-50	201	. 52	13 · 4				48	G	4	1	112	28 9	57
Jodhpur		21-10- 7-10-	-50	157	35 50	9·1 10·5				48	3 2	6 1	1	102 25	20 3 5 2	49
Jounpur Udaipui		7-10-		72	9	6.2	• •	• •		2				4 0	1 H	27,
								_								•

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population astimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B. —Births; B. R. —Birth rate; C.—Cholera; S.—Small pox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhooa; R. D.—Respiratory diseases; M. D.—Maternal Deaths; D. R.—Doath rate; I. D.—Infantile Deaths; (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 28th October, 1950 relate to 192 towns with an estimated population of 24,962 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 82% of the total number of towns representing 88% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 20,821 and 10,101 representing birth and death rates of 43.4 and 21.0 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 168 towns with an estimated population of 22,314 thousands. Information about Assam and Bihar could not be included. The total number of towns is 201 and their population is 24,668 thousands. Thus 84% of the total number of towns representing 90% of the total population is covered. The numbers of births and deaths recorded in these towns were 18,951 and 9,281 representing birth and death rates day 44.2 and 21.6 per thousand of population respectively. The table at the end gives the position by

The town of Pandharpur in Bombay recorded the high death rate of 56.2 which was largely due to deaths from

fevers. Out of a total of 54 towns in Madras 11 towns recorded a death rate exceeding 50 per thousand of population. Deaths from cholera occurred in most of these towns but they were proportionately heavier in Erode and Kumbakonam Deaths from dysentery and diarrhoea were more prominent in Madras and Rajapalayam. Respiratory diseases accounted for a substantial proportion of total deaths in Erode, Madras and Vellore. In the remaining towns of Mayuram, Melapalayam, Srivilliputur, Tanjore, Tiruppur and Virudunagar, the high death at does not appear to have been due to any of the specified causes.

(B) States (Part B).—The data here relate to 24 towns with an estimated population of 2,648 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 75% of the total number of towns representing 71% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,870 and 820 representing birth and death rates of 36.7 and 16.4 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States			C	urrent w/	a 28-10-50	Correspondin	g w/e last year	Corresponding mean during the previous 5 years' period		
				B. R.	D. R.	В. В.	D. R.	B. R.	D. R.	
Ajmer				70.8	14 8	37 - 9	14.8	43.0	18 7	
Bombay.				47.2	20.5	45.2	24.3	35.6	23 0	
Delhi .				77 0	12.9	69-6	15.0	49.5	14.5	
Madhya Prad	$_{ m esh}$			44.8	20.5	49.0	$25 \cdot 2$	41.0	24.4	
Madras				55.7	40.4	59 · 5	27.8	41.0	23.1	
Oriesa .				49.6	26.0	50.2	$23 \cdot 9$	83 · 4	27.0	
Funjab (I)				4 6 · 0	$16 \cdot 2$	43.7	17.2	38 · 2	16.2	
Uttar Prades	ı .			48.3	18.5	43.1	27 · 4	43.6	24 8	
West Bengal				$19 \cdot 2$	13 8	$22 \cdot 7$	15.6	17.5	14.4	
India (only	tasa	a parta :	A & O)	14.2	21.6	43 · 4	22.9	37∙1	20.3	

New Delhi 3 (India);

The 20th November, 1950.

S. P. JAIN,

for Registrar General, India.